



**DISCLAIMER:**  
 LOCATION OF UTILITIES SHOWN ARE APPROXIMATE ONLY AND SHOULD BE CONFIRMED BY FIELD SURVEY AND BY USE OF A PIPE LOCATOR AND MANUAL DIGGING WHERE REQUIRED. EXISTING SERVICE LOCATIONS ARE SHOWN TO INDICATE THE EXISTENCE OF THE SPECIFIED SERVICE ONLY AND ARE NOT NECESSARILY COMPLETE OR SHOWN IN THE CORRECT LOCATION. IT IS THE CONTRACTOR'S RESPONSIBILITY TO LOCATE, VERIFY THE INVERT ELEVATIONS BY HAND EXCAVATION BEFORE CONSTRUCTION OF THE UTILITY CROSSING AND SHALL BE RESPONSIBLE FOR ADEQUATE PROTECTION FROM DAMAGE AT CONTRACTOR'S COST



CONFIRM  
 UNDERGROUND  
 LOCATIONS WITH  
 UTILITY COMPANIES

LEGEND - Existing services shown solid	
CABLE —TV—	SIDEWALK S/W TREE
DRAIN —D—	DRAIN MANHOLE
GAS —GAS—	GAS VALVE
SEWER —S—	SEWER MANHOLE
WATER —W—	WATER VALVE
ELECTRICAL —E—	FIRE HYDRANT
ELECTRIC POLE	CATCH BASIN
TEL POLE	DRAIN CLEANOUT
SURVEY MONUMENT	DRAIN VENT
IRON PIN	STREET LIGHT
LEAD PLUG	SEWER LAMPHOLE
TRAVERSE HUB	SEWER CLEANOUT
P.K. NAIL	SEWER VENT
	WATER METER
	SERVICE VALVE

REVISIONS	
ISSUED FOR REVIEW	



REVISIONS APPROVED					
REVISION 1		REVISION 2		REVISION 3	
APP.	DATE	SIGN	APP.	DATE	SIGN

DESIGN APPROVED		
EXCEPTIONS	DATE	SIGN
APPROVED BY	17.02.10	WW
DESIGN ENG.		
ASSIST. ENG.		
MUNICIPAL ENG.		

**TOWNSHIP OF ESQUIMALT**  
 LAMPSON ST. INVESTIGATIVE WORK  
 COMBINED UTILITIES STA (1+933.35 - 2+077.88)  
 CONTROL MONUMENTS  
 DESIGN EFS DRAWN EFS SURVEY HH  
 SCALES: H=1:250 DATE 2017.02.10

DESIGN DWG. NO.	ESQ-M300
Sheet #	24

**DISCLAIMER:**  
 LOCATION OF UTILITIES SHOWN ARE APPROXIMATE ONLY AND SHOULD BE CONFIRMED BY FIELD SURVEY AND BY USE OF A PIPE LOCATOR AND MANUAL DIGGING WHERE REQUIRED. EXISTING SERVICE LOCATIONS ARE SHOWN TO INDICATE THE EXISTENCE OF THE SPECIFIED SERVICE ONLY AND ARE NOT NECESSARILY COMPLETE OR SHOWN IN THE CORRECT LOCATION. IT IS THE CONTRACTOR'S RESPONSIBILITY TO LOCATE, VERIFY THE INVERT ELEVATIONS BY HAND EXCAVATION BEFORE CONSTRUCTION OF THE UTILITY CROSSING AND SHALL BE RESPONSIBLE FOR ADEQUATE PROTECTION FROM DAMAGE AT CONTRACTOR'S COST



TRAFFIC LOOPS TO BE FIELD CHECK AS UPDATE AS IT WAS RECENTLY BEEN UPGRADED.



**CONFIRM UNDERGROUND LOCATIONS WITH UTILITY COMPANIES**

LEGEND - Existing services shown solid	
CABLE —TV—	TEL POLE
DRAIN —D—	IRON PIN
GAS —GAS—	LEAD PLUG
SEWER —S—	TRAVERSE HUB
WATER —W—	P.K. NAIL
ELECTRICAL —E—	
SIDEWALK S/W	TELECOMMUNICATION CABLE TV
TREE	WATER MAIN
CATCH BASIN	ABO WATER MAIN
DRAIN CLEANOUT	SEWER MAIN
DRAIN VENT	GAS LINE
STREET LIGHT	ABO GAS LINE
IRON PIN	UNDER GROUND HYDRO LINE
LEAD PLUG	
TRAVERSE HUB	
P.K. NAIL	
ELECTRIC POLE	
TEL POLE	
IRON PIN	
LEAD PLUG	
TRAVERSE HUB	
P.K. NAIL	
SEWER CLEANOUT	
SEWER VENT	
SERVICE VALVE	
WATER METER	
SEWER LAMPHOLE	
SEWER CLEANOUT	
SEWER VENT	
WATER METER	
WATER VALVE	
FIRE HYDRANT	
WATER METER	
SERVICE VALVE	

REVISIONS			REVISIONS APPROVED			DESIGN APPROVED		
REVISION 1	REVISION 2	REVISION 3	REVISION 1	REVISION 2	REVISION 3	EXCEPTIONS	DATE	SIGN
APP.	DATE	SIGN	APP.	DATE	SIGN	DESIGN BY	DATE	SIGN
						DESIGN ENG.	17.02.10	WW
						ASSIST. ENG.		
						MUNICIPAL ENG.		

TOWNSHIP OF ESQUIMALT			
LAMPSON ST. INVESTIGATIVE WORK			
DRAIN IDENTIFIER STA (1+933.35 - 2+077.88)			
CONTROL MONUMENTS			
DESIGN	DRAWN	SURVEY	DATE
EFS	EFS	HH	2017.02.10
SCALES: H=1:250			
DESIGN DWG. NO.	Sheet #		
ESQ-M301	25		

**DISCLAIMER:**  
 LOCATION OF UTILITIES SHOWN ARE APPROXIMATE ONLY AND SHOULD BE CONFIRMED BY FIELD SURVEY AND BY USE OF A PIPE LOCATOR AND MANUAL DIGGING WHERE REQUIRED. EXISTING SERVICE LOCATIONS ARE SHOWN TO INDICATE THE EXISTENCE OF THE SPECIFIED SERVICE ONLY AND ARE NOT NECESSARILY COMPLETE OR SHOWN IN THE CORRECT LOCATION. IT IS THE CONTRACTOR'S RESPONSIBILITY TO LOCATE, VERIFY THE INVERT ELEVATIONS BY HAND EXCAVATION BEFORE CONSTRUCTION OF THE UTILITY CROSSING AND SHALL BE RESPONSIBLE FOR ADEQUATE PROTECTION FROM DAMAGE AT CONTRACTOR'S COST



CONFIRM  
 UNDERGROUND  
 LOCATIONS WITH  
 UTILITY COMPANIES

LEGEND - Existing services shown solid	
CABLE — TV —	SIDEWALK S/W TREE
DRAIN — D —	ELECTRIC POLE E
GAS — GAS —	CATCH BASIN
SEWER — S —	DRAIN CLEANOUT DCO
WATER — W —	GAS VALVE
ELECTRICAL — E —	SEWER MANHOLE
	WATER VALVE
	FIRE HYDRANT
	WATER METER
	SEWER LAMPHOLE
	SEWER CLEANOUT SCO
	SEWER VENT
	SERVICE VALVE
	TEL POLE
	IRON PIN
	LEAD PLUG
	TRAVERSE HUB
	P.K. NAIL
	SURVEY MONUMENT
	STREET LIGHT
	DRAIN VENT
	SEWER LAMPHOLE
	SEWER VENT
	TRAVERSE HUB
	P.K. NAIL
	SURVEY MONUMENT
	STREET LIGHT
	DRAIN VENT
	SEWER LAMPHOLE
	SEWER VENT
	TRAVERSE HUB
	P.K. NAIL
	SURVEY MONUMENT
	STREET LIGHT
	DRAIN VENT
	SEWER LAMPHOLE
	SEWER VENT
	TRAVERSE HUB
	P.K. NAIL

REVISIONS	
ISSUED FOR REVIEW	


REVISIONS APPROVED		
REVISION 1	REVISION 2	REVISION 3
APP.	DATE	SIGN

DESIGN APPROVED	
EXCEPTIONS	DATE
	17.02.10
APPROVED BY	WW
DESIGN ENG.	
ASSIST. ENG.	
MUNICIPAL ENG.	

**TOWNSHIP OF ESQUIMALT**  
 LAMPSON ST. INVESTIGATIVE WORK  
 COMBINED UTILITIES STA (1+933.35 - 2+077.88)  
 CONTROL MONUMENTS  
 DESIGN EFS DRAWN EFS SURVEY HH  
 SCALES: H=1:250 DATE 2017.02.10

DESIGN DWG. NO.	ESQ-M302
Sheet #	26

**DISCLAIMER:**  
 LOCATION OF UTILITIES SHOWN ARE APPROXIMATE ONLY AND SHOULD BE CONFIRMED BY FIELD SURVEY AND BY USE OF A PIPE LOCATOR AND MANUAL DIGGING WHERE REQUIRED. EXISTING SERVICE LOCATIONS ARE SHOWN TO INDICATE THE EXISTENCE OF THE SPECIFIED SERVICE ONLY AND ARE NOT NECESSARILY COMPLETE OR SHOWN IN THE CORRECT LOCATION. IT IS THE CONTRACTOR'S RESPONSIBILITY TO LOCATE, VERIFY THE INVERT ELEVATIONS BY HAND EXCAVATION BEFORE CONSTRUCTION OF THE UTILITY CROSSING AND SHALL BE RESPONSIBLE FOR ADEQUATE PROTECTION FROM DAMAGE AT CONTRACTOR'S COST





**CONFIRM UNDERGROUND LOCATIONS WITH UTILITY COMPANIES**

LEGEND - Existing services shown solid					
CABLE —TV—	SIDEWALK S/W	TREE	ELECTRIC POLE E	TEL POLE T	SURVEY MONUMENT
DRAIN —D—	DRAIN MANHOLE	CATCH BASIN	DRAIN CLEANOUT DCO	DRAIN VENT DV	IRON PIN IP
GAS —G—	GAS VALVE	GAS SNIFFER	GAS METER	STREET LIGHT	LEAD PLUG LP
SEWER —S—	SEWER MANHOLE	SEWER LAMPHOLE	SEWER CLEANOUT SCO	SEWER VENT SV	TRAVERSE HUB TH
WATER —W—	WATER VALVE	FIRE HYDRANT	WATER METER	SERVICE VALVE	P.K. NAIL PK

REVISIONS	REVISIONS APPROVED			DESIGN APPROVED		
	REVISION 1	REVISION 2	REVISION 3	EXCEPTIONS	DATE	SIGN
ISSUED FOR REVIEW	APP.	DATE	SIGN	APP.	DATE	SIGN

TOWNSHIP OF ESQUIMALT						
LAMPSON ST. INVESTIGATIVE WORK						
COMBINED UTILITIES STA (2+077.88 - 2+260.00)						
DESIGN	DESIGN DWG. NO.	ESQ-M303	DESIGN	DATE	2017.02.10	SIGN
ASSIST. ENG.	DATE	2017.02.10	DESIGN	DATE	2017.02.10	SIGN

**DISCLAIMER:**  
 LOCATION OF UTILITIES SHOWN ARE APPROXIMATE ONLY AND SHOULD BE CONFIRMED BY FIELD SURVEY AND BY USE OF A PIPE LOCATOR AND MANUAL DIGGING WHERE REQUIRED. EXISTING SERVICE LOCATIONS ARE SHOWN TO INDICATE THE EXISTENCE OF THE SPECIFIED SERVICE ONLY AND ARE NOT NECESSARILY COMPLETE OR SHOWN IN THE CORRECT LOCATION. IT IS THE CONTRACTOR'S RESPONSIBILITY TO LOCATE, VERIFY THE INVERT ELEVATIONS BY HAND EXCAVATION BEFORE CONSTRUCTION OF THE UTILITY CROSSING AND SHALL BE RESPONSIBLE FOR ADEQUATE PROTECTION FROM DAMAGE AT CONTRACTOR'S COST



**CONFIRM UNDERGROUND LOCATIONS WITH UTILITY COMPANIES**

LEGEND - Existing services shown solid	
CABLE —TV—	SIDEWALK S/W
DRAIN —D—	TREE
GAS —GAS—	CATCH BASIN
SEWER —S—	DRAIN MANHOLE
WATER —W—	GAS VALVE
ELECTRICAL —E—	SEWER MANHOLE
	WATER VALVE
	FIRE HYDRANT
	WATER METER
	ELECTRIC POLE
	TEL POLE
	SURVEY MONUMENT
	IRON PIN
	LEAD PLUG
	TRAVERSE HUB
	P.K. NAIL
	DRAIN CLEANOUT
	DRAIN VENT
	STREET LIGHT
	SEWER VENT
	SERVICE VALVE
	GAS SNIFFER
	GAS METER
	SEWER CLEANOUT
	SEWER LAMPHOLE
	SEWER VENT
	WATER METER



REVISIONS	REVISION 1			REVISION 2			REVISION 3		
	APP.	DATE	SIGN	APP.	DATE	SIGN	APP.	DATE	SIGN
ISSUED FOR REVIEW									

DESIGN APPROVED		
EXCEPTIONS	DATE	SIGN
DESIGN ENG.	17.02.10	WW
ASSIST. ENG.		
MUNICIPAL ENG.		

**TOWNSHIP OF ESQUIMALT**  
**LAMPSON ST. INVESTIGATIVE WORK**  
**COMBINED UTILITIES STA (2+260.00 - 2+430.00)**

DESIGN DWG. NO.	Sheet #
ESQ-M304	28

**DISCLAIMER:**  
 LOCATION OF UTILITIES SHOWN ARE APPROXIMATE ONLY AND SHOULD BE CONFIRMED BY FIELD SURVEY AND BY USE OF A PIPE LOCATOR AND MANUAL DIGGING WHERE REQUIRED. EXISTING SERVICE LOCATIONS ARE SHOWN TO INDICATE THE EXISTENCE OF THE SPECIFIED SERVICE ONLY AND ARE NOT NECESSARILY COMPLETE OR SHOWN IN THE CORRECT LOCATION. IT IS THE CONTRACTOR'S RESPONSIBILITY TO LOCATE, VERIFY THE INVERT ELEVATIONS BY HAND EXCAVATION BEFORE CONSTRUCTION OF THE UTILITY CROSSING AND SHALL BE RESPONSIBLE FOR ADEQUATE PROTECTION FROM DAMAGE AT CONTRACTOR'S COST



**CONFIRM UNDERGROUND LOCATIONS WITH UTILITY COMPANIES**

LEGEND - Existing services shown solid					
CABLE —TV—	SIDEWALK S/W	TREE	ELECTRIC POLE E	TEL POLE T	SURVEY MONUMENT
DRAIN —D—	DRAIN MANHOLE	CATCH BASIN	DRAIN CLEANOUT	DRAIN VENT	IRON PIN
GAS —GAS—	GAS VALVE	GAS SNIFFER	GAS METER	STREET LIGHT	LEAD PLUG
SEWER —S—	SEWER MANHOLE	SEWER LAMPHOLE	SEWER CLEANOUT	SEWER VENT	TRAVERSE HUB
WATER —W—	WATER VALVE	FIRE HYDRANT	WATER METER	SERVICE VALVE	P.K. NAIL

REVISIONS  
 ISSUED FOR REVIEW



REVISIONS APPROVED		
REVISION 1	REVISION 2	REVISION 3
APP.	DATE	SIGN

DESIGN APPROVED		
EXCEPTIONS	DATE	SIGN
	17.02.10	WW

**TOWNSHIP OF ESQUIMALT**  
 LAMPSON ST. INVESTIGATIVE WORK  
 COMBINED UTILITIES STA (2+430.00 - 2+610.00)

DESIGN DWG. NO.	ESQ-M305
Sheet #	29

**DISCLAIMER:**  
 LOCATION OF UTILITIES SHOWN ARE APPROXIMATE ONLY AND SHOULD BE CONFIRMED BY FIELD SURVEY AND BY USE OF A PIPE LOCATOR AND MANUAL DIGGING WHERE REQUIRED. EXISTING SERVICE LOCATIONS ARE SHOWN TO INDICATE THE EXISTENCE OF THE SPECIFIED SERVICE ONLY AND ARE NOT NECESSARILY COMPLETE OR SHOWN IN THE CORRECT LOCATION. IT IS THE CONTRACTOR'S RESPONSIBILITY TO LOCATE, VERIFY THE INVERT ELEVATIONS BY HAND EXCAVATION BEFORE CONSTRUCTION OF THE UTILITY CROSSING AND SHALL BE RESPONSIBLE FOR ADEQUATE PROTECTION FROM DAMAGE AT CONTRACTOR'S COST



**CONFIRM UNDERGROUND LOCATIONS WITH UTILITY COMPANIES**

LEGEND - Existing services shown solid	
CABLE —TV—	SIDEWALK S/W
DRAIN —D—	TREE
GAS —GAS—	CATCH BASIN
SEWER —S—	GAS VALVE
WATER —W—	SEWER MANHOLE
ELECTRICAL —E—	WATER VALVE
ELECTRIC POLE	TEL POLE
DRAIN CLEANOUT	DRAIN VENT
GAS SNIFFER	STREET LIGHT
SEWER CLEANOUT	SEWER VENT
WATER METER	SERVICE VALVE
TEL POLE	SURVEY MONUMENT
IRON PIN	LEAD PLUG
TRaverse HUB	P.K. NAIL

REVISIONS	
ISSUED FOR REVIEW	



REVISIONS APPROVED					
REVISION 1		REVISION 2		REVISION 3	
APP.	DATE	SIGN	APP.	DATE	SIGN

DESIGN APPROVED		
EXCEPTIONS	DATE	SIGN
DESIGN BY	17.02.10	WW
ASSIST. ENG.		
MUNICIPAL ENG.		

**TOWNSHIP OF ESQUIMALT**  
**LAMPSON ST. INVESTIGATIVE WORK**  
**COMBINED UTILITIES STA (2+610.00 - 2+780.00)**

DESIGN DWG. NO.	ESQ-M306
Sheet #	30

**DISCLAIMER:**  
 LOCATION OF UTILITIES SHOWN ARE APPROXIMATE ONLY AND SHOULD BE CONFIRMED BY FIELD SURVEY AND BY USE OF A PIPE LOCATOR AND MANUAL DIGGING WHERE REQUIRED. EXISTING SERVICE LOCATIONS ARE SHOWN TO INDICATE THE EXISTENCE OF THE SPECIFIED SERVICE ONLY AND ARE NOT NECESSARILY COMPLETE OR SHOWN IN THE CORRECT LOCATION. IT IS THE CONTRACTOR'S RESPONSIBILITY TO LOCATE, VERIFY THE INVERT ELEVATIONS BY HAND EXCAVATION BEFORE CONSTRUCTION OF THE UTILITY CROSSING AND SHALL BE RESPONSIBLE FOR ADEQUATE PROTECTION FROM DAMAGE AT CONTRACTOR'S COST



**CONFIRM UNDERGROUND LOCATIONS WITH UTILITY COMPANIES**

LEGEND - Existing services shown solid					
CABLE —TV—	SIDEWALK S/W	TREE	ELECTRIC POLE E	TEL POLE T	SURVEY MONUMENT
DRAIN —D—	DRAIN MANHOLE	CATCH BASIN	DRAIN CLEANOUT DCO	DRAIN VENT DV	IRON PIN IP
GAS —GAS—	GAS VALVE	GAS SNIFFER	GAS METER	STREET LIGHT	LEAD PLUG LP
SEWER —S—	SEWER MANHOLE	SEWER LAMPHOLE	SEWER CLEANOUT SCO	SEWER VENT SV	TRAVERSE HUB TH
WATER —W—	WATER VALVE	FIRE HYDRANT	WATER METER	SERVICE VALVE	P.K. NAIL PK



REVISIONS			REVISIONS APPROVED			DESIGN APPROVED		
NO.	DESCRIPTION	DATE	APP.	DATE	SIGN.	APP.	DATE	SIGN.
ISSUED FOR REVIEW								

DESIGN APPROVED			TOWNSHIP OF ESQUIMALT		
EXCEPTIONS	DATE	SIGN.	LAMPSON ST. INVESTIGATIVE WORK		
	17.02.10	WW	COMBINED UTILITIES STA (2+780 - 2+950.00)		
DESIGN ENG.			CONTROL MONUMENTS		
ASSIST. ENG.			DESIGN EFS	DRAWN EFS	SURVEY HH
MUNICIPAL ENG.			SCALE: H=1:250	DATE 2017.02.10	

DESIGN DWG. NO.	ESQ-M307
Sheet #	31



**DISCLAIMER:**  
 LOCATION OF UTILITIES SHOWN ARE APPROXIMATE ONLY AND SHOULD BE CONFIRMED BY FIELD SURVEY AND BY USE OF A PIPE LOCATOR AND MANUAL DIGGING WHERE REQUIRED. EXISTING SERVICE LOCATIONS ARE SHOWN TO INDICATE THE EXISTENCE OF THE SPECIFIED SERVICE ONLY AND ARE NOT NECESSARILY COMPLETE OR SHOWN IN THE CORRECT LOCATION. IT IS THE CONTRACTOR'S RESPONSIBILITY TO LOCATE, VERIFY THE INVERT ELEVATIONS BY HAND EXCAVATION BEFORE CONSTRUCTION OF THE UTILITY CROSSING AND SHALL BE RESPONSIBLE FOR ADEQUATE PROTECTION FROM DAMAGE AT CONTRACTOR'S COST



**CONFIRM UNDERGROUND LOCATIONS WITH UTILITY COMPANIES**

LEGEND - Existing services shown solid	
CABLE —TV—	SIDEWALK S/W
DRAIN —D—	TREE
GAS —GAS—	DRAIN MANHOLE
SEWER —S—	GAS VALVE
WATER —W—	SEWER MANHOLE
ELECTRICAL —E—	WATER VALVE
ELECTRIC POLE	CATCH BASIN
TEL POLE	GAS SNIFFER
SURVEY MONUMENT	GAS METER
IRON PIN	SEWER CLEANOUT
LEAD PLUG	SEWER VENT
TRAVERSE HUB	SEWER CLEANOUT
P.K. NAIL	WATER METER
	SERVICE VALVE

REVISIONS	
ISSUED FOR REVIEW	



REVISIONS APPROVED					
REVISION 1		REVISION 2		REVISION 3	
APP.	DATE	SIGN	APP.	DATE	SIGN

DESIGN APPROVED		
EXCEPTIONS	DATE	SIGN
	17.02.10	WW

**TOWNSHIP OF ESQUIMALT**  
**LAMPSON ST. INVESTIGATIVE WORK**  
**COMBINED UTILITIES STA (2+950.00 - 3+084.00)**

DESIGN DWG. NO.	ESQ-M308
DESIGN EFS	DATE 2017.02.10
DRAWN EFS	
SURVEY HH	
SHEET #	32

**DISCLAIMER:**  
 LOCATION OF UTILITIES SHOWN ARE APPROXIMATE ONLY AND SHOULD BE CONFIRMED BY FIELD SURVEY AND BY USE OF A PIPE LOCATOR AND MANUAL DIGGING WHERE REQUIRED. EXISTING SERVICE LOCATIONS ARE SHOWN TO INDICATE THE EXISTENCE OF THE SPECIFIED SERVICE ONLY AND ARE NOT NECESSARILY COMPLETE OR SHOWN IN THE CORRECT LOCATION. IT IS THE CONTRACTOR'S RESPONSIBILITY TO LOCATE, VERIFY THE INVERT ELEVATIONS BY HAND EXCAVATION BEFORE CONSTRUCTION OF THE UTILITY CROSSING AND SHALL BE RESPONSIBLE FOR ADEQUATE PROTECTION FROM DAMAGE AT CONTRACTOR'S COST



CONFIRM  
 UNDERGROUND  
 LOCATIONS WITH  
 UTILITY COMPANIES



LEGEND - Existing services shown solid	
CABLE —TV—	SIDEWALK S/W
DRAIN —D—	TREE
GAS —GAS—	ELECTRIC POLE E
SEWER —S—	TEL POLE T
WATER —W—	SURVEY MONUMENT
ELECTRICAL —E—	
SEWER MANHOLE	CATCH BASIN
GAS VALVE	DRAIN CLEANOUT
SEWER MANHOLE	GAS SNIFFER
WATER VALVE	GAS METER
	SEWER LAMPHOLE
	SEWER CLEANOUT
	SEWER VENT
	WATER METER
	SERVICE VALVE
	STREET LIGHT
	LEAD PLUG
	TRAVERSE HUB
	P.K. NAIL

REVISIONS		REVISIONS APPROVED			DESIGN APPROVED		
NO.	DESCRIPTION	APP.	DATE	SIGN	APP.	DATE	SIGN
ISSUED FOR REVIEW							

DESIGN APPROVED		TOWNSHIP OF ESQUIMALT		
EXCEPTIONS	DATE	SIGN	LAMPSON ST. INVESTIGATIVE WORK	
DESIGN BY	17.02.10	WW	COMBINED UTILITIES STA (3+084.00 - 3+220.00)	
ASSIST. ENG.			CONTROL MONUMENTS	
MUNICIPAL ENG.			DESIGN EFS	DRAWN EFS
			SURVEY HH	DATE 2017.02.10

DESIGN DWG. NO.	ESQ-M309
Sheet #	33

**DISCLAIMER:**  
 LOCATION OF UTILITIES SHOWN ARE APPROXIMATE ONLY AND SHOULD BE CONFIRMED BY FIELD SURVEY AND BY USE OF A PIPE LOCATOR AND MANUAL DIGGING WHERE REQUIRED. EXISTING SERVICE LOCATIONS ARE SHOWN TO INDICATE THE EXISTENCE OF THE SPECIFIED SERVICE ONLY AND ARE NOT NECESSARILY COMPLETE OR SHOWN IN THE CORRECT LOCATION. IT IS THE CONTRACTOR'S RESPONSIBILITY TO LOCATE, VERIFY THE INVERT ELEVATIONS BY HAND EXCAVATION BEFORE CONSTRUCTION OF THE UTILITY CROSSING AND SHALL BE RESPONSIBLE FOR ADEQUATE PROTECTION FROM DAMAGE AT CONTRACTOR'S COST



CONFIRM  
 UNDERGROUND  
 LOCATIONS WITH  
 UTILITY COMPANIES

LEGEND - Existing services shown solid	
CABLE —TV—	SIDEWALK S/W
DRAIN —D—	TREE
GAS —GAS—	DRAIN MANHOLE
SEWER —S—	GAS VALVE
WATER —W—	SEWER MANHOLE
ELECTRICAL —E—	WATER VALVE
ELECTRIC POLE	CATCH BASIN
TEL POLE	GAS SNIFFER
SURVEY MONUMENT	GAS METER
IRON PIN	SEWER CLEANOUT
LEAD PLUG	SEWER LAMPHOLE
TRAVERSE HUB	SEWER CLEANOUT
P.K. NAIL	SEWER VENT
	SERVICE VALVE
	WATER METER

REVISIONS		REVISIONS APPROVED						DESIGN APPROVED		
APP.	DATE	APP.	DATE	APP.	DATE	APP.	DATE	EXCEPTIONS	DATE	SIGN
ISSUED FOR REVIEW									17.02.10	WW

DESIGN APPROVED			TOWNSHIP OF ESQUIMALT		
DESIGN ENG.	ASSIST. ENG.	MUNICIPAL ENG.	LAMPSON ST. INVESTIGATIVE WORK		
			COMBINED UTILITIES STA (3+220.00 - 3+305.00)		
			CONTROL MONUMENTS		
DESIGN EFS	DRAWN EFS	SURVEY HH			
SCALES: H=1:250			DATE 2017.02.10		

DESIGN DWG. NO.	ESQ-M310
Sheet #	34